


Ämne: Nodka would like to extend our sincere thanks to all the visitors for making EW a resounding success.

Datum: tisdag 28 mars 2023 kl. 11:25:45 centraleuropeisk sommartid

Från: Nodka Automation Technology

Till: Info | HighTech Nordic



On Embedded World 2023, Nodka had the opportunity to showcase our latest products and solutions for Industrial PC to a diverse and engaged audience of professionals all over the world. We were impressed to see so much interest in our product offerings, and to have the chance to engage with potential customers and partners.

Long-distance Transmission Solution

UP TO 100 METERS





{COM/USB/DVI}
CAT6 cable (RJ45 port)

UP TO 100 METERS

Book Style Capacitor UPS

NP-6310-A



Wide voltage input: 12V/24V adaptive
 Backup mode power output: 12V/24V
 (depending on the input voltage)
 The powered device (PC) can monitor the
 status in real time via RS-232/USB
 Long backup time, the powered device (PC)
 automatically shuts down safely
 Long life cycle
 Wide operating temperature: -20 ~ 60°C

Video Remote Transmitter box

eLink-200



DVI-D, USB, RS232
 remote data transmission solutions
 High performance decoding chip
 Ultra long distance transmission, up to 100 meters
 1920 × 1080 HD display



Industrial Automation PC | NP-6116

- Intel® Celeron® J1900 / Intel® Celeron® J6412
- 3xGbE LAN controller
- 1xRS232, 1xRS485
- 1xfull size miniPCIe slot with SIM holder,
1xSMBus
- Support Windows 10 IoT, Linux
- (L)138mm×(W)99mm×(H)45mm
- Wall-mounted or DIN-Rail mounted

Industrial Automation PC | NP-6118

- Intel® Celeron® J6412
- 3xGbE LAN controller
- 1xRS232, 2xRS485, 2xCAN2.0 A/B
- 16xisolated DI, 16xisolated DO
- Support Windows 10 IoT, Linux
- (L)165mmx(W)124.7mmx(H)53mm
- Wall-mounted or DIN-Rail mounted
- DC24V ±10%, integrated super capacitor



Industrial Panel PC | XXX4 Series

- Powered by 11th Intel® Core™ processor
- Modular design, 10.4" - 21.5"
- Resistive and capacitive touch options
- 3xIntel GbE LAN controller, option 5xLAN ports
- 4xUSB3.0 / 2xUSB2.0, 4 x RS-232 / RS-485
- Extend WIFI/3G/4G network from Mini-PCIe slot
- Support Panel mounted and VESA mounted

Our exhibition focuses,

- Automation solutions for long-distance data transmission
- Industrial Panel PC powered by 11th Intel® Core™ i CPU
- Applications for eLink-200 and UPS NP-6310 remote data transmitter box
- Compact design industrial Automation PC

Couldn't make it to Nuremberg? This is your chance to get to know our latest product and technology innovation! Connect to experts, find out which products suit you best.

[Contact Our Expert](#)



Copyright © 2022 Nodka Automation Technology, All rights reserved.

Our mailing address is: eurosupport@nodka.com

Want to change how you receive these emails? You can [unsubscribe](#) from this list.